

## Tork Soft Mid-Size Toilet Roll Premium

Soft   Mid-Size   Toilet Roll     Premure   Image: Soft   Image: Soft	Article
	System
	Colour
	Ply
	Roll length
	Roll width
	Roll diameter
	Core inside diameter
	Embossing
	Print
The Tork Twin Mid-size Toilet Roll Dispenser system is a modern and efficient system ideal for low to medium-traffic washrooms with a high focus on guest satisfaction. It ensures high efficiency and that toilet paper is always available for guests. The Premium Tork Soft Mid-size Toilet Roll offers a superior look and feel with the right performance.	Key benefits: - Tork Easy Handlin carrying, opening a - Compact mid-size 4-5 conventional to - Attractive décor: impression - Soft tissue with bi

Article	127520
System	T6 - Compact toilet system
Colour	White
Ply	2
Roll length	90 m
Roll width	9.9 cm
Roll diameter	13.2 cm
Core inside diameter	3.5 cm
Embossing	Yes
Print	No

- Tork Easy Handling® box – for easier carrying, opening and disposing of packaging

- Compact mid-sized rolls: Each equivalent to 4-5 conventional toilet rolls

- Attractive décor: designed to make a great impression

- Soft tissue with high brightness for a lasting impression

Environmental	
Environmental certification	<ul> <li>defoamers (surfactants and dispersing agents)</li> <li>pH-control (sodium hydroxide and sulphuric acid)</li> <li>retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)</li> <li>Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)</li> </ul> To control product performance we use additives: <ul> <li>Wet strength agents (for Wipers and Hand Towels)</li> <li>Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)</li> <li>For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added</li> <li>For printed products we often use a water soluble glue to secure the integrity of the product</li> </ul> The packaging material is made from paper or plastic. High product quality is secured through quality and hygiene management systems throughout production, storage and transport.
Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom	Recycling of paper is an efficient use of resources as the wood fibres are used more than once.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.
Production	This product is produced at SKELMERSDALE mill, GB and certified according to ISO 9001, ISO 14001 (Environmental management systems), OHSAS 18001 and FSC Chain-Of-Custody. In the tissue process both virgin fibres and recovered paper are being used. The choice of pulp is made based on product requirements and pulp availability so the pulp is used in the most efficient way.
Material	Virgin fibres and recovered paper Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.
Content	<ul> <li>The product is made from</li> <li>The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.</li> <li>Pulping aid (chemicals that help to repulp wet strong paper)</li> <li>Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)</li> <li>Bleaching agents (to increase the brightness of pulp from recovered paper)</li> </ul> Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used. To reuse broke and to utilise recovered fibres we use:
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed. In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 19-04-2019 Revision date: 04-05-2021

## Contact

James Beattie Deb Disposables Ltd - 1298985 Business phone: 0161 872 3531 Business mobile phone: 0161 872 3531

E-mail: james@deb-disposables.co.uk